

## **Part VIII. DEFINITIONS**

### **8A-1 Definition of Words and Phrases**

The words and phrases defined in the following sections shall, for the purpose of the Manual, have the meanings respectively ascribed to them in this Part of the Manual, except when the context otherwise requires.

### **8A-2 General Definitions**

1. Authorized Emergency Vehicle—Such fire department vehicles, police vehicles and ambulances as are publicly owned, and such other publicly or privately owned vehicles as designated by the public body or official having jurisdiction.
2. Crosswalk
  - (a) That part of a roadway at an intersection included within the connections of the lateral lines of the sidewalks on opposite sides of the highway measured from the curbs or in the absence of curbs, from the edges of the traversable roadway;
  - (b) Any portion of a roadway at an intersection or elsewhere distinctly indicated for pedestrian crossing by lines or other markings on the surface.
3. Curb—A vertical or sloping member generally along and defining the edge of a roadway.
4. Curb line—The boundary between a roadway and a sidewalk, usually marked by a curb.
5. District, Business—The territory contiguous to and including a highway, when within any 600 feet along such highway there are buildings in use for business or industrial purposes, including but not limited to hotels, banks, or office buildings, railroad stations, and public buildings which occupy at least 300 feet of frontage on one side or 300 feet collectively on both sides of the highway.
6. District, Residence—The territory contiguous to and including a highway not comprising a business district when the property on such highway for a distance of 300 feet or more is in the main improved with residences or residences and buildings in use for business.
7. District, Rural—Any territory not included in a business or residence district as defined herein, whether or not within the boundaries of a municipality.

8. District, Urban—The territory contiguous to and including any street which is built up with structures devoted to business, industry or dwelling houses situated at intervals of less than 100 feet for a distance of a quarter of a mile or more.

9. Expressway—A divided arterial highway for through traffic with partial control of access and generally with grade separations at major intersections.

10. Freeway—An expressway with full control of access.

11. Gore—The area immediately beyond the bifurcation of two roadways, bounded by the edges of those roadways.

12. Highway (or Street)—The entire width between the boundary lines of every way, publicly maintained, when any part thereof is open to the use of the public for purposes of vehicular travel.

13. Highway, Arterial—Any U.S. or State numbered route, controlled access highway, or other major radial or circumferential street or highway designated by local authorities within their respective jurisdictions as part of a major arterial system of streets or highways.

14. Highway, Controlled-Access—Every highway, street, or roadway in respect to which owners or occupants of abutting lands and other persons have no legal right of access to or from the same except at such points only and in such manner as may be determined by the public authority having jurisdiction over such highway, street, or roadway.

15. Highway, Divided—A highway with separate roadways for traffic in opposite directions.

16. Highway, Major—The roadway approach or approaches at an intersection normally carrying the major volume of vehicular traffic.

17. Highway, Minor—The roadway approach or approaches at an intersection normally carrying the minor volume of vehicular traffic.

18. Highway, Through—A highway or portion thereof on which vehicular traffic is given preferential right-of-way, and at the entrances to which vehicular traffic from intersecting highways is required by law to yield the right-of-way to vehicles on such through highway in obedience to a stop sign, yield sign, or other official traffic control device, when such signs or devices are erected as provided by law.

19. Intersection—

(a) The area embraced within the prolongation or connection of the lateral curb lines, or, if none, then the lateral boundary lines of the roadways of two highways which join one another at, or approximately at, right angles, or the area within which vehicles traveling upon different highways joining at any other angle may come in conflict.

(b) Where a highway includes two roadways (30) feet or more apart, then every crossing of each roadway of such divided highway by an intersecting highway shall be regarded as a separate intersection. In the event such intersecting highway also includes two roadways (30) feet or more apart, then every crossing of two roadways of such highways shall be regarded as a separate intersection.

(c) The junction of an alley with a street or highway shall not constitute an intersection.

20. Median—The portion of a divided highway separating the traveled ways for traffic in opposite direction.

21. No Passing Zone—A section of highway designated by the public body or official having jurisdiction as one where overtaking and passing or driving to the left of the roadway would be especially hazardous.

22. Official Traffic Control Devices (or Traffic Control Devices)—All traffic signs, highway traffic signals, traffic markings, and other devices erected or placed on or adjacent to a highway or street by authority of the public body or official having jurisdiction, for the purpose of regulating, warning, or guiding traffic.

23. Pavement—That part of a roadway having a constructed surface for the facilitation of vehicular traffic.

24. Pedestrian—Any person afoot.

25. Ramp—An inclined section of way over which traffic passes for the primary purpose of ascending or descending so as to make connections with other ways. Also, an interconnecting roadway of a traffic interchange, or any connection between highway facilities of different levels, on which vehicles may enter or leave a designated highway.

26. Right-of-Way—The right of one vehicle or pedestrian to proceed in a lawful manner in preference to another vehicle or pedestrian approaching under such circumstances of direction, speed and proximity as to give rise to danger of collision unless one grants precedence to the other.

27. Roadway—That portion of a highway improved, designed, or ordinarily used for vehicular travel, exclusive of the berm or shoulder. In the event a highway includes two or more separate roadways, the term "roadway," as used herein, refers to any such roadway separately but not to all such roadways collectively.

28. Shoulder—The portion of the roadway contiguous with the traveled way for accommodations of stopped vehicles, for emergency use, and for lateral support of base and surface courses.

29. Sidewalk—That portion of a street between the curb lines, or the lateral line of a roadway, and the adjacent property lines, intended for the use of pedestrians.

30. Street—(See highway).
31. Traffic—Pedestrians, ridden or herded animals, vehicles, streetcars, and other conveyances either singly or together while using any highway for purposes of travel.
32. Traffic Lane—A strip of roadway intended to accommodate the forward movement of a single line of vehicles.
33. Vehicle—Every device in, upon, or by which any person or property is or may be transported or drawn upon a highway, except devices moved by human power or used exclusively upon stationary rails or tracks.

#### **8A-3 Definitions Relating to Signs**

1. Guide Sign—A sign used to show route designations, destinations, directions, distances, services, points of interest, and other geographical or cultural information.
2. Lane-Use Sign—A sign indicating regulations governing use of specific lanes.
3. Legend—Word messages or symbols used on signs to cover specific meanings.
4. Public Parking Area (or Facility)—A parking facility available for use by the general public, with or without payment of a fee.
5. Regulatory Sign—A sign used to give notice of traffic laws or regulations.
6. Traffic Sign (or Sign)—A device mounted on a fixed or portable support whereby a specific message is conveyed by means of words or symbols placed or erected for the purpose of regulating, warning, or guiding traffic.
7. Warning Sign—A sign used to give notice of conditions on, or adjacent to, a highway or street that are potentially hazardous to traffic operations.

#### **8A-4 Definitions Relating to Markings**

1. Barrier Line—A line which, when placed parallel to a center or lane line, or to another barrier line, indicates that all traffic must not cross the line for purposes of overtaking and passing.
2. Center Line—A line indicating the division of the roadway between traffic traveling in opposite directions.
3. Channelizing Line—A line which directs traffic and indicates that traffic should not cross but may proceed on either side.
4. Delineator—A light-reflecting device mounted at the side of the roadway, in series with others, to indicate the alignment of the roadway.
5. Edge Line—A line which indicates the edge of the roadway.

6. Lane Line—A line separating two lanes of traffic traveling in the same direction.

7. Object Markings—Markings intended for use on obstructions within or adjacent to the roadway.

8. Pavement Markings—Markings set into the surface of, applied upon, or attached to the pavement.

9. Stop Line (or Limit Line)—A line which indicates where vehicles should stop when directed by a traffic officer or traffic control device.

10. Traffic Markings (or Markings)—All lines, patterns, words, colors, or other devices, except signs and power-operated traffic control devices, set into the surface of, applied upon, or attached to the pavement or curbing or to objects within or adjacent to the roadway, placed for the purpose of regulating, warning, or guiding traffic.

#### 8A-5 Definitions Relating to Signals

1. Back-Plates—A strip of thin material extending outward parallel to the signal face on all sides of a signal housing to provide suitable background for the signal indications.

2. Controller—A complete electrical mechanism mounted in a cabinet for controlling the operation of a traffic control signal.

3. Detector—A device by which vehicles, streetcars, trolley buses, or pedestrians are enabled to register their presence with a traffic-actuated controller.

4. Highway Traffic Signal—Any power-operated traffic-control device, except a sign or a barricade warning light, or steady burning electric lamps, by which traffic is warned or is directed to take some specific action.

5. Interval—Any one of the several divisions of the time cycle during which signal indications do not change.

6. Lane-Use Control Signal—A highway traffic signal which is erected to control the direction of vehicular traffic movement in an individual lane.

7. Major Street—The roadway approach or approaches at an intersection normally carrying the major volume of vehicular traffic.

8. Minor Street—The roadway approach or approaches at an intersection normally carrying the minor volume of vehicular traffic.

9. Optical Unit—An assembly of a lens, reflector, light source, and other components if required, with the necessary supporting parts to be used for providing a signal indication.

10. Pedestrian Detector—A detector, usually of the push-button type, installed near the roadway capable of being operated by hand.

11. Pedestrian Signal—A traffic control signal which is erected for the exclusive purpose of directing pedestrian traffic at signalized locations.

12. Pedestrian Signal Indication—The illumination of a pedestrian signal lens or equivalent device.
13. Pretimed Signal—A type of traffic control signal which operates on predetermined scheduled time cycles and intervals.
14. Signal Face—That part of a traffic control signal provided for controlling one or more traffic movements in a single direction. Turning indications may be included in a signal face.
15. Signal Head—An assembly containing one or more signal faces.
16. Signal Indication—The illumination of a traffic control signal lens or equivalent device.
17. Signal Installation—All of the equipment and material involved in the control of traffic at one intersection by a traffic control signal.
18. Signal Lens—That part of the optical unit which redirects the light coming directly from the light source and its reflector, if any.
19. Signal Support—The physical means whereby a signal head is supported in a particular location.
20. Signal System—Two or more signal installations operating in coordination.
21. Time Cycle—The time period required for one complete sequence of signal indications.
22. Traffic-Actuated Signal—A type of traffic control signal in which the intervals are varied in accordance with the demands of traffic as registered by the actuation of detectors.
23. Traffic Control Signal (Traffic Signal)—A type of highway traffic signal, manually, electrically, or mechanically operated by which traffic is alternately directed to stop and permitted to proceed.
24. Traffic Phase—A part of the time cycle allocated to any traffic movement receiving the right-of-way or to any combination of traffic movements receiving the right-of-way simultaneously during one or more intervals.
25. Train-Approach Signal—A highway traffic signal which indicates to highway traffic, the approach and passage of railroad trains at a railroad-highway grade crossing.
26. Vehicular Phase—A traffic phase allocated to all traffic except pedestrians.

#### **8A-6 Definitions Relation to Islands**

1. Approach End—An end of an island or area between roadways which faces approaching traffic passing to one or both sides.
2. Buffer—A structure at the approach end of a safety zone designed to deflect or stop any vehicle which collides with it.

3. Island—(Traffic Island)—An area within a roadway from which vehicular traffic is intended to be excluded, together with any area at the approach thereto occupied by warning devices.

4. Island, Channelizing—A traffic island located in a roadway area to control and direct specific movements of traffic to definite channels.

5. Island, Divisional—A traffic island used to separate traffic moving in the same or opposite directions.

6. Island, Pedestrian Refuge—An island designed for the use and protection of pedestrians.

7. Raised Bars—A series of bars extending above the normal pavement surface to make any wheel encroachment obvious to a vehicle operator without loss of control of the vehicle.

8. Button—A rounded object extending above the normal pavement surface for the purpose of channelizing traffic movement.

#### **8A-7 Definitions Relating to Construction and Maintenance Traffic Controls**

1. Barricade—A portable or fixed barrier having object markings, used to close all or a portion of the right-of-way to vehicular traffic.

2. Barricade Warning Light—A portable, power-operated, lens directed, enclosed light used in either the steady burn or flashing mode to mark obstructions or hazards in construction and maintenance work areas.

3. Steady Burning Electric Lamps—A series of low wattage, yellow electric lamps used to mark obstructions or hazards in construction and maintenance work areas.



## INDEX

### A

Abbreviations, sign legend.....	2A-14
Accidents:	
Data needed for signal installations.....	4C-1
Warrant for pretimed signals.....	4C-8
<i>Adjustable Face Traffic Control Signal Head Standards (ITE)</i>	4B-8, 4B-10, 4D-4, 4E-5
Advance Detour sign.....	6B-16
Advance Flagman sign.....	6B-20
Advance guide signs, expressway.....	2E-24
Advance Lane Closed sign.....	6B-19
Advance One Lane Road sign.....	6B-18
Advance Road (Street) Closed sign.....	6B-17
Advance Road (Street) Construction sign.....	6B-15
Advance route turn assembly.....	2D-30
Advance turn arrow.....	2D-26
Advertising lights, confusing.....	4B-27
Advertising on traffic signs.....	2A-3
Advisory Speed plate.....	2C-36, 6B-34
All-red clearance period.....	4B-15, 4B-18
All Trucks, Commercial Vehicles, Next Right sign.....	2B-40
Alphabets for highway signs (see Lettering, signs).....	2A-9, 15
Alternate routes and markers.....	2D-16, 17
American Association of State Highway Officials.....	Introduction, 1A-5
Application of signs and markings (see also listing of individual devices).....	2A-4, 3b-1 to 19
Approach-end treatment islands (see also Islands).....	3B-13, 5C-1, 2
Area Closed sign.....	2G-4
Arrows, pavement markings.....	3B-18
Arrows, sign	
Advance turn arrow.....	2D-26
Application.....	2E-14
Curve and turn signs.....	2C-4, 5
Destination sign.....	2D-36, 2F-8, 9
Detour marker.....	2D-24
Directional marker.....	2D-27
Double arrow sign.....	2C-34
Expressway guide signs.....	2E-1 to 39
Freeway guide signs.....	2F-15
Keep Right sign.....	2B-24
Lane-use control sign.....	2B-17 to 19
Large arrow sign.....	2C-9
Parking signs.....	2B-30 to 32
Arrows, traffic signal.....	4B-5, 6, 8, 9
Association of American Railroads.....	2B-42, 4F-1
Axle Weight Limit sign.....	2B-39

**B**

## Barricades:

Application	6C-7
Construction	6C-6
Design	6C-2
Signs on	6C-7
Wing	6C-7

Barrier, function 6C-1

## Barrier line:

Application (see also No-passing zones)	3A-7
Color	3A-4
Design	3A-5 to 3A-7
Meaning	3A-7
Beacon, flashing (see Flashing beacon)	4E-1 to 7, 7D-24
Bells, with drawbridge signals	4E-13, 15, 17
Bicycle Crossing sign	2C-32
Bicycle Route marker	2D-48

## Black (see also Colors):

Gaps in broken white line	3A-4
Sign backgrounds:	

Guide signs	2A-11
Regulatory signs	2A-11, 2B-3

## Stripes:

Barricades	6C-2
Clearance markers	3C-1 to 3
Object markings	3C-1 to 4

Blasting Zone sign 6B-30

## Blue (see also Colors):

Evacuation Route marker	2G-3
Interstate Route marker and auxiliaries	2D-11
Rest Area signs	2D-42, 2E-35, 2F-34
Scenic Area signs	2D-44, 2E-35, 2F-34
Service signs	2D-46, 2E-33, 2F-32
Borders, sign	2A-19
Broken lines, pavement markers	3A-5 to 7
Bump sign	2C-26, 6B-33
Business Route marker	2D-19
Business Route marker, Interstate	2D-11
Buttons, mushroom, pavement marking	3A-3
By-pass Route marker	2D-18

**C**

## Capital letters (see Lettering, signs)

Cardinal Direction marker 2D-15

Cattle Crossing sign 2C-33

Caution, signal indication (see also Flashing beacon; Traffic signals, flashing operation) 4B-5, 6, 10, 18, 4E-5

## Caution signs (see Warning signs)

## Center lines:

Applications	3B-1
Color	3A-5

Patterns	3A-6
Reflectorization	3A-5
Types	3A-7
Warrants	3B-1, 2, 5
Widths	3A-6
Channelizing devices	3B-9, 13, 5A-1, to 6
Channelizing islands (see Islands)	5A-1 to 6
Channelizing line	6C-12
Civil Defense:	
Emergency situations	2G-1
Signal controls	4B-22
Signs	2G-2 to 9
Cleaning (see Maintenance)	
Clearance interval:	
All-red	4B-15, 4B-18
Pedestrian	4B-5, 4D-7
Vehicular	4B-5, 4B-6, 4B-15
Clearance markers	3C-1 to 3
Clearance sign	2C-35
Clearances:	
Lateral, for signs	2A-21, 24
Overhead, for signals	4B-13
Overhead, for signs	2A-23
Climbing lanes, signs for	2B-23
Color cards	1A-7
Colored pavements	3E-1, 2
Colors:	
Curb markings	3B-19, 3D-3
Delineators	3D-4
Hazard markers	3C-1
Object markings	3C-1
Pavement markings	3A-4, 5
Signals	4B-5, 6
Signs	1A-7, 2A-11, 2C-2, 2D-3
Combination Junction sign	2D-14
Commercial Vehicles Excluded sign	2B-27
Cones	6C-3, 6C-9
Confirming route marker	2D-32, 33
Construction and maintenance control devices:	
Barriers	6C-1 to 8, 6F-4
Flagging	6E-2 to 8
General	6A-1 to 5
Lane closures	2C-18, 6B-19
Lighting devices	6D-3 to 7, 6F-5
One-way control	6E-6
Pavement markings	6C-11
Pilot car	6E-9
Signals	6E-10
Signs (see also individual sign listings):	
Construction area	6F-3
Design	6B-1
Guide signs	2D-1 to 51, 2E-1 to 39, 2F-1 to 39, 6B-35 to 39
Illumination	6B-2
Position	6B-3

Reflectorization	6B-2
Regulatory	6B-5 to 11
Warning	6B-12 to 34
Traffic control	6F-6
Controllers, signal (see Traffic signals, controllers)	
Coordination, signal	4B-17
County Route markers	2D-11
Cross on Green Light Only sign	2B-35
Cross on Walk Signal Only sign	2B-35
Cross Only at Cross Walks sign	2B-34
Cross Road sign	2C-10
Cross Walk sign	2C-33
Crossbuck, railroad sign	2B-42
Crossing signs	2C-33
Crosswalk lines	3B-15
Curb markings	3A-9
On islands	5F-3
Parking restrictions	3B-19
Curve sign	2C-5

## D

Dashed lines (see Broken lines)	
Dead End signs	2C-38
Decontamination Center sign	2G-8
Deer Crossing sign	2C-33
Definitions	1A-4, 8A-1 to 7
Delineators (see also Markers, reflector)	3D-1 to 5, 6C-10
Demand signals (see Traffic-actuated signals)	
Destination signs:	
Design	2D-35, 36
Freeways	2F-8, 9
Location	2D-37
Warrants	2D-36
Detectors, installation and locations	4B-25
Detectors, signal	4B-25, 4D-6
Detour sign	2D-25, 6B-38
Detour arrow sign	6B-38
Detour marker	2D-24
Dip sign	2C-27, 6B-33
Directional arrow marker	2D-27
Directional assembly	2D-31
Directional signs, expressways	2E-23, 24
Directional signs, freeways	2F-21
Distance signs, (see also Mileage signs)	2D-35, 2E-30, 2F-22
Divided Highway (Road) sign	2C-22
Divided Highway (Road) Ends sign	2C-23, 6B-33
Divisional islands	5F-5
Do Not Enter sign	2B-25
Do Not Pass sign	2B-20
Do Not Block Intersection sign	2B-35
Do Not Throw Litter sign	2B-43
Dont Walk signal (see Pedestrian signals)	
Double arrow sign	2C-34

Draw Bridge sign	4E-15
Drawbridge signals	4E-13 to 17
Drawings, sign	2A-9
Drums	6C-4, 6C-8

## E

Edge line (see Pavement edge line)	
Elongated letters, pavement markings	3B-18
Emergency Aid Center sign	2G-8
Emergency Parking Only sign	2B-32
Emergency Speed sign	2G-6
End Blasting Zone	6B-32
End Construction sign (Road Work)	6B-37
End marker	2D-22
End protection (see Islands)	
End Road Work (Construction) sign	6B-37
Entrance (Factory) sign	2C-33
Evacuation Route marker	2G-3
Exclusion signs (see Selective exclusion signs)	
Exit Direction signs, expressways	2E-27
Exit sign, at gore	2E-28
Exit Speed sign	2C-37
Expressway, defined	8A-2

## F

Factory Entrance sign	2C-33
Falling Rock sign	2C-40
Fallout Shelter directional sign	2G-9
Federal Highway Administrator	1A-2, 1A-5
Federal yellow (see Highway yellow)	
Fixed-time traffic signal (see Prettimed signals)	
Flag, signal	6E-2
Flag-carrying car, one-way traffic control	6E-8
Flagman:	
Hand signaling devices	6E-2
One-way traffic control	6E-6
Flagging procedures	6E-4
Qualifications	6E-3
Flagging stations	6E-5
Flashers	6D-5
Flashing beacon (see also Traffic signals, flashing operation):	
Application	2A-20, 4E-1 to 7, 6D-3, 6F-5, 7D-24
Controls	4E-5
Design	4E-5
Intersection control with	4E-3, 7
Location	4E-6, 4E-20, 6D-3
Operation	4E-5
Used with signs	2A-20, 4E-2, 4
Warrants	4E-1 to 4
Flood lights	6D-2
Four-way stop	2B-4, 6
Freeway signs	2F-1 to 39
Fresh Oil (Tar) sign	6B-24
Full traffic-actuated signals (see Traffic signals)	

**G**

Gas-Food-Lodging sign.....	2D-46, 2E-33, 2F-32, 33
Gates, railroad crossing (see also Railroad crossing signals).....	4F-1 to 4
Gore signs.....	2E-28
Grade crossing (see Railroad crossing)	
Green:	
Business route marker, Interstate.....	2D-11
Color cards.....	1A-7
Expressway guide signs.....	2E-5
Parking Area sign.....	2D-41
Parking restriction signs.....	2B-29 to 31
Traffic signals, meaning of.....	4B-5
Green arrows:	
Separate signal faces.....	4B-9
Traffic signals, meaning of.....	4B-5
Guide signs:	
Conventional roads.....	2D-1 to 51
Expressways.....	2E-1 to 39
Freeways.....	2F-1 to 39

**H**

Hazard identification beacons (Flashing electric lights).....	4E-1, 6, 6D-3
Hazard markers (see also Markers, reflector).....	3C-1
Heads, signal (see Traffic signals)	
Height:	
Signals.....	4B-13
Signs.....	2A-21, 23
<i>Highway Capacity Manual</i> .....	1A-6
Highway numbering system.....	2D-9
Highway traffic signal (see Traffic signals)	
Highway yellow (see Yellow)	
Hill sign.....	2C-25
Historical region sign.....	2D-50, 51

**I**

Illumination (see Lighting)	
Illumination, signs (see also Reflectorization):	
Construction signs.....	6B-2
Means of.....	2A-17, 18
Overhead signs.....	2A-16
Variable signs.....	2A-5
Information Center sign.....	2D-50
Information signs.....	2D-50
Institute of Traffic Engineers,.....	Introduction, 1A-5
Interpretations of standards.....	1A-5
Interchange classification.....	2E-21, 2F-19
Interchange signs:	
Exit direction sign.....	2E-27
Exit numbering.....	2E-22, 2F-20
Exit sign.....	2E-27, 28
For interchanges between freeways.....	2F-24

For cloverleaf interchanges	2F-25
For cloverleaf with collector-distributor roadways	2F-26
For partial cloverleaf interchanges	2F-27
For diamond interchanges	2F-28
For urban diamond interchanges	2F-29
For closely spaced interchanges	2F-30
For minor interchanges	2F-31
Gore signs	2E-28
Guide signs, general	2E-23, 2F-21 to 39
Information Area sign	2F-33
Mileage sign	2F-30
Next Exit sign	2E-25, 32
1-mile advance sign	2E-24
2-mile advance sign	2E-24
Post interchange signs	2E-29, 2F-22
Rest Area sign	2E-35, 2F-34
Sequence signs	2E-31
Services signs	2E-33, 2F-32, 33
Sign requirements	2E-3, 2F-3
Supplemental signs	2E-26
Interstate route markers	2D-11
Interstate System (see also standards for individual control devices)	2F-1
Intervals, traffic signal:	
Application	4B-6
Sequence	4B-15
Timing	4B-20
Islands:	
Approach end treatment	5C-1, 2
Channelizing	5A-6
Classification	5A-3
Curbs	5B-3
Defined	5A-1, 8A-6
Design	5B-1
Divisional	5A-5
Functions	5A-3 to 6
Illumination	5D
Legal authority	5A-2
Loading	5A-4
Pavement markings	5B-3, 5F-1 to 5
Pedestrian	5A-4
Raised bars and buttons	5B-3
Refuge	5A-4
Safety zone	5A-4
Signs on	5E-1, 2
Size and shape	5B-2

## J

Jiggle bars	5C-2
Junction marker assembly	2D-13, 29
Combination junction sign	2D-14

**K**

Keep Off Median sign.....	2B-36
Keep Off Wet Paint sign.....	2B-43
Keep Right (Left) sign.....	2B-24

**L**

Lamps, traffic signal.....	4B-10, 23
Lane closures.....	2C-18, 6B-19
Lane-use control signals:	
Controls.....	4E-8
Definition.....	8A-5
Design.....	4E-10
Indications.....	4E-9
Location.....	4E-11
Operation.....	4E-12
Warrants.....	4E-8
Lane-direction control signs (see Lane-use control)	
Lane Ends Merge Left (Right) sign.....	2C-18
Lane lines.....	3B-2
Lane-use control:	
Pavement markings.....	3B-12
Signals.....	4E-8 to 12
Signs.....	2B-17 to 19
Large arrow sign.....	6B-33
Left On Arrow Only sign.....	2B-35
Left (Right) Turn Signal sign.....	2B-35
Legal authority.....	2A-3
Legend:	
Abbreviations.....	2A-14
Amount of on guide signs.....	2D-7
Defined.....	8A-3
Symbols.....	2A-13
Word messages.....	2A-14
Length of Construction sign.....	6B-36
Lenses, traffic signal (see also Railroad crossing signals):	
Arrow specifications.....	4B-8
Color.....	4B-5
Illumination.....	4B-10
Lane-direction control (see also Lane-use control).....	4E-9
Lettering on, prohibited.....	4B-8
Number in signal face.....	4B-7
Pedestrian.....	4D-4
Position.....	4B-12, 13
Shielding.....	4B-11
Size.....	4B-8
Visibility.....	4B-11
Lettering:	
Pavement marking.....	3B-18
Signs.....	2A-15, 2D-5, 6, 2E-9, 10, 2F-12
Lighting (see also Illumination, signs):	
Construction sites.....	6D-2 to 7
Hazard warning.....	4E-1, 6, 6D-3
Islands.....	5D

Limit line (see Stop line)	
Lines, pavement marking	3A-5 to 8
Load Limit sign (see Weight Limit sign)	
Loading islands	5A-4
Local Traffic Only sign	2B-38, 6B-9
Loose Gravel sign	6B-33
Low Clearance sign	2C-35
Low Shoulder sign	6B-33
Lower-case letters (see Lettering, signs)	

## M

Magnetic detector (see Detectors)	
Maintain Top Safe Speed sign	2G-6
Maintenance of:	
Markings	3A-1 to 3
Signals	4B-23
Signs	2A-30
Maintenance operations (see Construction)	
Mandatory turn sign	2B-17
Markers, reflector:	
Clearance	3C-1 to 4
Delineators	3D-1 to 5
Hazard	3C-1 to 3
Markings (see also individual types of markings):	
Colors	3A-4
Functions	7C-1
Islands	5F-1 to 5
Legal authority	3B-3
Limitations	3A-1, 7C-1
Maintenance of	3A-1 to 3
Materials	3A-3
Reflectorization	3A-2, 5
Standardization	3A-2, 7C-2
Types	3A-5, 6
Median (see also Divisional islands)	3B-10, 5A-5
Medical Center sign	2G-8
Men Working sign	6B-23
Merge sign	2C-17
Mileage signs	2D-35, 38, 39, 2E-30
Mileposts	2D-47, 2E-37, 2F-36
Minimum Speed sign	2B-12
Model Traffic Ordinance	1A-6
Mushroom buttons	3A-3

## N

Narrow Bridge sign	2C-20
Narrowing roadway signs	2C-18, 19
National Association of Counties	Introduction, 1A-5
National Committee on Uniform Traffic Laws and Ordinances	Introduction, 1A-5
National Joint Committee on Uniform Traffic Control Devices	Introduction, 1A-5
Next Exit sign	2E-25

Next Services sign.....	2E-33, 2F-32
Night speed sign.....	2B-11
No Bicycles sign.....	2B-27
No Dumping Allowed sign.....	2B-43
No Fishing from Bridge sign.....	2B-43
No Hitchhiking sign.....	2B-33
No Left Turn sign.....	2B-15
No Left Turn illuminated sign (see Railroad crossing signals)	
No Parking signs.....	2B-29 to 31
No Parking Except on Shoulder sign.....	2B-31
No Parking on Pavement sign.....	2B-31
No-passing zones:	
Legal basis for.....	2B-20, 3B-3
Markings.....	3B-3
Signs.....	2B-20
Warrants.....	3B-5
No Pedestrian Crossing sign.....	2B-34
No Right Turn sign.....	2B-15
No Right Turn illuminated sign (see Railroad crossing signals)	
No Stopping signs (see No Parking signs)	
No Stopping on Pavement sign.....	2B-31
No Trucks sign.....	2B-27
No U Turn sign.....	2B-16

## O

Object markings.....	3C-1 to 4
Obstruction approach markings.....	3B-13, 5C-1, 2
Official car, one-way traffic control.....	6E-8
One Lane Bridge sign.....	2C-21
One-way restricted zone, traffic signals (see Lane use control signals)	
One Way signs (see also Do Not Enter sign,	
Two Way Traffic Ahead sign).....	2B-28
One-way traffic control, coordination.....	6E-6
One-way transition signs.....	2C-22, 23
Overhead signals.....	4B-13
Overhead signs:	
Clearance.....	2A-21, 24
Warrants.....	2A-22

## P

Paddles, sign.....	6E-2
Pan American Highway route marker.....	2D-51
Parking Area sign.....	2D-41
Parking restrictions:	
At signalized intersections.....	2B-29
Curb markings.....	3B-19
Signs.....	2B-29 to 32 7B-13
Parking space limits, marking.....	3B-17
Pass With Care sign.....	2B-21
Pavement edge line.....	3B-6
Pavement Ends sign.....	2C-28, 6B-33

Pavement markings:	
Broken lines	3A-6
Center lines	3B-1
Channelizing line	3B-9
Colors	3A-4
Combination lane and center line markings	3B-12
Construction sites	6C-11
Crosswalk lines	3B-15
Curb markings	3A-9, 3B-19
Dashed lines (see Broken lines)	
Edge lines	3B-6
General principles	3A-5, 6
Islands formed by	3B-10
Lane lines	3B-2
Lane-use control	2B-17
Longitudinal lines, types of	3A-7
Maintenance	3A-1 to 3
No-passing zones	3B-3 to 5
Obstruction, approach to	3B-13
On interchange ramps	3B-11
Parking space limits	3B-17
Paved shoulder markings	3A-8
Railroad crossings	3B-16
Ramps, expressway	3B-11
Reflectorization	3A-3, 3A-5
Stop lines	3B-14
Through intersections or interchanges	3B-7
Transverse lines	3A-8
Turns	3B-9
Types of lines	3A-7, 8
Uphill traffic lanes	3B-8
Width of lines	3A-6
Width transitions	3B-8
Words and symbols	3B-18
Pavement width transition signs	2C-18
Pedestrian-actuated signal (see Pedestrian signals)	
Pedestrian-actuated signal sign	2B-35
Pedestrian crossing signs	2B-34
Pedestrian detector:	
Installation	4D-6
Push button sign	4D-4, 4D-6
Pedestrian islands (see Refuge islands)	
Pedestrian sign, Walk on Left Facing Traffic	2B-33
Pedestrians Prohibited sign	2B-27
Pedestrian signals:	
Control	4C-12, 7D-7
Definition	8A-5
Design	4D-4
Detectors	7D-8
Indications	4D-1 to 3, 7D-5, 18 to 23
Intervals	4D-7
Location	4D-5, 7D-6, 12 to 1 <sup>5</sup>
Non-intersectional	7D-6

Operation	7D-9
Portable signals	7D-16
Vehicular signals, use with	4C-12, 4D-3
Warrants	4C-5, 6
Ped Xing sign	2C-33
Phone sign	2D-46, 2E-33, 2F-32
Picnic Table sign	2D-42
Pilot car	6E-9
Pilot Car sign	6B-39
Playground sign	2C-40
<i>Policy on Arterial Highways in Urban Areas</i>	1A-6
<i>Policy on Geometric Design of Rural Highways</i>	1A-6
Portable signals	4B-4, 7D-16
Portable signs	7B-6
Pretimed signals:	
Accident experience warrant	4C-8
Advantages	4B-3
Combination of warrants	4C-10
Coordination	4B-17, 7D-10
Definition	8A-5
Division of cycle time	4B-20
Interruption of continuous traffic warrant	4C-4
Pedestrian intervals	4D-7
Pedestrian volume warrant	4C-5, 7D-4
Progressive movement warrant	4C-7
Timed speed sign	2D-49
Timing	4B-20
Vehicular volume warrant	4C-3
Warrants	4C-1 to 12, 7D-4
Push-button detector (see Pedestrian detector)	
Push Button for Green Light (Walk Signal sign)	2B-35

## R

Railroad advance warning sign	2C-31
Railroad crossbuck sign	2B-42
Railroad crossing gates (see Railroad crossing signals)	
Railroad crossing pavement markings	3B-16
Railroad crossing signals:	
Definition	8A-5
Design	4F-2
Flashing light	4F-2
Interconnection with traffic signals	4B-21
Maintenance	4F-4
Meaning	4F-3
No Right (or Left) Turn illuminated sign	4F-2
Operation	4B-21
Preemption of traffic signals	4B-21
Turn prohibition signals	4F-2
Railroad crossing signs	2B-42, 2C-31
Railroad crossing, traffic signals near	4B-21
Railroad-highway grade crossing (see Railroad crossing)	
<i>Railroad-Highway Grade-Crossing Protection Bulletin (AAR)</i>	4F-1

Ramps:	
Delineators.....	3D-4, 3D-5
Expressway signing.....	2E-39
Pavement markings.....	3B-11
Range cattle sign.....	2C-33
Reassurance route markers.....	2D-23
Recreational.....	2D-44, 2E-36
Red:	
Flags.....	6E-2
Flashing (see Red flashing signals)	
Parking prohibition signs.....	2B-29, 31
Stop signs.....	2B-4
Traffic signals.....	4B-5
Red flashing signals.....	4B-5
Beacons.....	4E-1 to 7
Railroad crossing signals.....	4F-1 to 4
Reduced Speed Ahead signs.....	2B-14
Reflecting coatings.....	2A-18
Reflector buttons.....	2A-18
Reflector markers (see Markers, reflector)	
Reflectorization:	
Colors.....	2A-18
Construction signs.....	6B-2
Materials.....	2A-18
Night Speed sign.....	2B-11
Signs.....	2D-3, 2E-6, 2F-14
Refuge islands (see Islands)	
Registration Center sign.....	2G-8
Regulatory signs (see also individual sign listings)	
Application.....	2B-1
Classification.....	2B-2
Color.....	2A-11
Construction and maintenance.....	6B-5 to 11
Design.....	2B-3
Expressways.....	2B-1
Function.....	2B-1
Rest area signs.....	2D-42
Reverse curve sign.....	2C-7
Reverse turn sign.....	2C-6
Reversible flow signs.....	2B-17 to 19
Reversible lane operation (see Lane-control signals)	
Right (Left) Lane Ends sign.....	2C-18
Right Lane Must Turn Right sign.....	2B-17
Right Turn on Red After Stop sign.....	2B-35
Road (Street) Closed sign.....	2B-37, 6B-8
Road Machinery sign.....	6B-25
Road Narrows sign.....	2C-19, 6B-33
Road Use Permit sign.....	2G-7
Road Work sign.....	6B-26
Roadside Parking Area sign.....	2D-41
Roadside Rest sign.....	2D-42, 2E-35, 2F-34
Rough Road sign.....	6B-33

Route marker (see also Junction marker; Advance turn arrow; Directional arrow; Alternate routes; Cardinal Direction marker; Trailblazer):

Application.....	2D-2
Assemblies.....	2D-28
Auxiliary markers.....	2D-10, 12
Confirming.....	2D-32
Design.....	2D-11, 12
Expressways.....	2E-19
On freeways.....	2F-37
Reassurance.....	2D-33
Route turn assembly.....	2D-30

## S

Safety zone (see Islands, refuge)

Sandbags.....	6C-6
Scenic Area sign.....	2D-43, 2F-34
School advance sign.....	7B-9
School Bus Stop Ahead sign.....	7B-11
School crossing:	

At existing signal locations.....	7D-25 to 28
Crossing control.....	7A-3
Grade separated crossings.....	7F-1 to 3
Guards.....	7E-2 to 11
Markings.....	7C-3 to 6
Portable signs.....	7B-6
Route plan.....	7A-1, 2
Signal warrants.....	7D-4
Signs.....	7B-1 to 8
School Crossing sign.....	7B-10
School Speed Limit signs.....	7B-12
Selective exclusion signs.....	2B-27
Service signs.....	2D-46
Shapes, traffic signs (see also individual sign listings).....	2A-10
Shoulder Work sign.....	6B-27
Side Road sign.....	2C-11
Signal Ahead sign.....	2C-16
Signals (see Traffic signals).....	
Sign paddles.....	6E-2

Signs (see also individual sign listings):

Civil Defense (see Civil Defense).....	
Classification (functional).....	2A-7, 2B-2, 2E-18
Colors.....	2A-11, 2D-3, 2E-5, 2F-14
Construction and maintenance (see Construction and maintenance).....	
Design.....	2A-9, 2B-3
Diagrammatic.....	2F-7
Dimensions.....	2A-12, 2E-7
Erection.....	2A-26
Excessive use of.....	2A-6
Freeway signs.....	2F-1 to 39
Function.....	2A-1
Guide signs.....	2D-1 to 51, 2E-1 to 39, 2F-1 to 39
Height.....	2A-23

Illumination	2A-16 to 18, 2E-6, 2F-14
Intersections at grade, for	2E-20
Lateral clearance	2A-24
Legal authority	2A-3
Lettering	2A-15, 2D-5 to 7, 2E-8 to 12, 2F-12
Location	2A-21, 2B-13, 2F-17, 18
Maintenance	2A-30
Materials	2A-29
Named highway signs	2D-51
Overhead signs	2A-22, 28, 2E-16, 2F-11
Portable	7B-6
Posts	2A-27
Prohibition signs	2B-15, 16, 25-27
Regulatory signs	2B-1 to 43
Removal when not applicable	2A-4
Replacement of nonstandard	Introduction
Shapes	2A-10
Structures, clearance	2A-21, 23
Symbols	2A-13, 2E-13
Uniformity:	
Application	2A-4
Design	2A-9
Urban expressways, signs on	2E-17
Variable legend	2A-5
Viewing factors	2E-15, 2F-16
Warning signs	2C-2
Slippery When Wet sign	2C-30
Slower Traffic Keep Right sign	2B-22
Soft Shoulder sign	2C-29, 6B-33
Solid lines, pavement marking	3A-5, 3A-7
Speed control (see Speed signs)	
Speed Limit sign	2B-10
Speed signs:	
Advisory Speed plate	2C-36, 6B-34
Emergency Speed sign	2G-6
Location	2B-13
Minimum Speed	2B-12
Night Speed	2B-11
Sign for Reduced Speed Ahead	2B-14
Speed Limit	2B-10
Speed Zone Ahead	2B-14
Traffic Signal Speed	2D-49
Truck Speed	2B-10
Speed Zone Ahead sign	2B-14
Speed zones	2B-10
Stop Ahead sign	2C-14
Stop Here on Red sign	2B-35
Stop (or Limit) line	3B-14, 4B-12, 7C-4
Stop sign	2B-4, 6, 9
Location	2B-9
Multi-way	2B-6
Pavement markings with	3B-14
Red flashing signal, as alternative	4E-3

Secondary messages prohibited.....	2B-4
Stop line.....	3B-14
Warrants.....	2B-5
Stop signal.....	4B-5
Stop-Traffic Regulation Post sign.....	2G-5
Stopping signs (Parking restrictions).....	2B-31
Street name sign.....	2D-40
Striping (see Pavement markings; Object markings)	
Survey crew sign.....	6B-28
Symbols (see also individual signs and markings).....	2A-13

## T

Temporary marker.....	2D-23
Temporary signs:	
Construction and maintenance.....	6B-3, 4
Crossing signs.....	2C-33
Detour marker.....	2D-24, 25, 6B-38
Timing (see Prettimed signals)	
To marker.....	2D-21
Tow-away Zone sign.....	2B-29
Tractors with Lugs Prohibited sign.....	2B-27
<i>Traffic Engineering Handbook</i> .....	1A-6
Traffic Regulation Post sign.....	2G-5
Traffic signals:	
Advantages and disadvantages.....	4B-3
All-way red interval.....	4B-15, 4B-18
Arrows.....	4B-5, 4B-6
Auxiliary signs with.....	4B-26
Back plates.....	4B-11
Classification.....	4B-1
Clearance interval.....	4B-5, 6
Colors.....	4B-5
Conflicts during green interval.....	4B-16
Construction area signals.....	6E-10
Continuity of operation.....	4B-19
Controllers.....	7D-7
Coordination.....	4B-17
Definition.....	8A-5
Drawbridges.....	4E-13 to 17
Emergency operation of.....	4B-22, 4E-18, to 21
Faces:	
Design.....	4B-9
Height.....	4B-13
Location.....	4B-12
Number.....	4B-12
Flashing operation.....	4B-18
General aspects.....	4B-1
Green indication.....	4B-5, 6
Heads.....	4B-12
Illumination of lenses.....	4B-10
Indications, application of.....	4B-6, 7
Indications, meaning of.....	4B-5, 7D-5
Interference of advertising lights.....	4B-27

Intervals (see Intervals, traffic signal) .....	4B-15
Lenses, size and designs .....	4B-8
Location of signal supports and controller cabinet .....	4B-14
Louvers .....	4B-11
Maintenance .....	4B-23
Overhead .....	4B-13
Painting .....	4B-24
Pedestrian (see Pedestrian signals) .....	
Pedestrian-actuated .....	7D-8
Portable traffic control signals .....	4B-4
Preemption:	
By emergency vehicles .....	4B-22, 4E-21
By railroad signals .....	4B-21
Pretimed (see Pretimed-signals) .....	
Railroad grade crossings (see also Railroad crossing signals) .....	4B-21, 4F-1 to 4
Traffic signals near .....	4B-21
Red indication .....	4B-5, 6
School crossings .....	7D-1 to 28
Signs for use with	
Signals .....	2B-35
Standardization .....	4B-1, 7D-3
Value .....	4B-3
Visors .....	4B-11
Warrants .....	4C-1 to 12
Yellow indication .....	4B-5, 6
Traffic Signal Speed sign .....	2D-49
Traffic volume, signal warrants for:	
Flashing signals .....	4E-3
Pedestrian signals .....	4C-5
Pretimed signals .....	4C-3
Traffic-actuated signals .....	4B-1, 8A-5
Traffic-adjusted control (see Traffic-actuated signals) .....	
Trailblazers .....	2D-34, 2E-19
Train-approach signals (see Railroad crossing signals) .....	
Transverse lines, pavement markings .....	3A-8
Truck Crossing sign .....	6B-33
Truck Lane (500) Feet Sign .....	2B-23
Truck Route Sign .....	2B-41, 2D-20
Trucks Excluded sign .....	2B-27
Trucks Use Lower Gear sign .....	2C-25
Trucks Use Right Lane sign .....	2B-23
Trucks (vehicles) with Lugs Prohibited sign .....	2B-27
T symbol sign .....	2C-12
Turn markings, pavement .....	3B-7
Turn off 2-way Radios sign .....	6B-31
Turn prohibition signs .....	2B-15
Turn sign .....	2C-4
Two-way Traffic sign .....	2C-24, 6B-21

## U

Uniform Vehicle Code .....	1A-6
Uphill traffic lanes .....	3B-8
Upper-case letters (see Lettering, signs) .....	
Use Lane (s) with Green Arrow .....	2B-35

Use Low Gear sign.....	2C-25
Use Second Gear sign.....	2C-25
U.S. route markers.....	2D-11
U-Turn prohibition sign.....	2B-16

## V

Variable message signs.....	2A-5
Vertical panel design.....	6C-5

## W

Walk on Left sign.....	2B-33
Walk signal (see Pedestrian signals):	
Warning signs (see also individual sign listings)	
Application.....	2C-1 to 40
Color.....	2C-2
Construction signs.....	6B-12 to 34
Design.....	2C-2
Expressways.....	2C-1
Function.....	2C-1
Location.....	2C-3
Size.....	2C-2
Warrants (see individual control devices)	
Weigh Station signs.....	2B-40, 2D-45, 2E-38, 2F-35
Weight Limit signs.....	2B-39, 6B-10
Welfare Center sign.....	2G-8
White (see also Colors):	
Barricades.....	6C-2
Delineators.....	3D-1 to 5, 6C-10
Object markings.....	3C-1 to 4
Pavement markings.....	3A-4
Stripes:	
Barricades.....	6C-2
Clearance markers.....	3C-1 to 3
Object markings.....	3C-1 to 4
Wigway signals (see Railroad crossing signals)	
Winding Road sign.....	2C-8
Word messages.....	2A-14
Wrong way sign.....	2B-26

## Y

Yellow:	
Barricades.....	6C-2
Beacon.....	4E-1 to 3, 6D-3
Color cards.....	1A-7
Cones and drums.....	6C-3, 4
Curbs.....	3B-19, 3D-3
Delineators.....	3D-4
Flashers.....	6D-3
Hazard markers.....	3C-1

Pavement markings	3A-4
Signs	2C-1 to 40
Traffic signals	4B-5
Yield Ahead sign	2C-15
Yield sign:	
Location	2B-9
Meaning	2B-7
Warrants	2B-8
Y symbol sign	2C-13

